

— WE CREATE MOBILE WORKPLACES —

PROFESSIONAL Van Racking



SYSTEM
EDSTRÖM



**WE CREATE MOBILE
WORKPLACES.**



Scan this code for
price information.

For more information: **www.systemedstrom.com**
We apply sales terms according to LCV14.



SAFETY



WARRANTY



QUALITY



ACCREDITED



SINCE 1958



SIMPLE






BESPOKE



CONFIGURE



300 mm - 2005 & 2007
470 mm - 2019 & 2021



Shelf frames

Depth	Width	Height	Kg	Part.No
300	31	505	1,2	2000
300	31	670	1,5	2002
300	31	890	1,9	2004
300	31	505/890	1,7	2005
300	31	1000	2,1	2006
300	31	670/1000	1,9	2007
300	31	1220	2,6	2008
300	31	1440	3,2	2010
470	31	505	1,4	2012
470	31	670	1,7	2014
470	31	825	2,0	2016
470	31	890	2,1	2018
470	31	505/890	1,9	2019
470	31	1000	2,3	2020
470	31	670/1000	2,1	2021
470	31	1220	2,9	2022
470	31	1440	3,5	2024

Shelf frames for false floor and extended drawers

Depth	Width	Height	Kg	Part.No
470	31	250	0,8	2075
470	31	470	1,5	2068
650	31	250	1,1	2078
650	31	470	1,8	2069

Shelf frame support leg

Min.	Max.	Height	Kg	Part.No
10	400	500	0,4	2090

Shelf frame support legs can be installed to allow for fitting at uneven parts of the van; over the wheel arch for example.

Shelf frame top


Depth	Width	Height	Kg	Part.No
300	28	70	0,3	2084
470	28	70	0,4	2085

If you need a shelf frame height we don't have, cut a shelf frame to appropriate height and use the shelf frame top.
NOTE! Be sure to rust-protect the cuts.

Shelf frame extensions

Depth	Width	Height	Depth top	Kg	Part.No
300	31	185	160	0,7	2050
300	31	230	160	0,8	2052
300	31	290	160	0,9	2054
300	31	400	160	1,1	2056
470	31	185	300	1,0	2058
470	31	230	300	1,1	2060
470	31	290	300	1,2	2062
470	31	400	300	1,4	2064

Shelf frame extensions are used for fitting additional shelving to the top of a racking. Two different angles for different curvatures of the van.



Pegboards plain sheet


Depth	Thickness	Height	Kg	Part.No
300	0,7	505	0,8	2100
300	0,7	670	1,0	2102
300	0,7	890	1,4	2104
300	0,7	1000	1,5	2106
300	0,7	1220	1,9	2108
300	0,7	1440	2,2	2110
470	0,9	505	1,5	2120
470	0,9	670	2,0	2122
470	0,9	825	2,5	2123
470	0,9	890	2,7	2124
470	0,9	1000	3,0	2126
470	0,9	1220	3,7	2128
470	0,9	1440	4,4	2130

All of our pegboards are made with square holes, 10x10 mm and 37 mm $\varnothing$.




Pegboards for shelf frame extensions

Depth	Thickness	Height	Fits	Kg	Part.No
300	0,7	185	2050	0,3	2190
300	0,7	230	2052	0,3	2191
300	0,7	290	2054	0,3	2192
300	0,7	400	2056	0,5	2193
470	0,9	185	2058	0,5	2195
470	0,9	230	2060	0,6	2196
470	0,9	290	2062	0,7	2197
470	0,9	400	2064	1,0	2198



Drawer system



Drawers



Depth	Width	Height	⇒	Kg	Part.No
300	302	110	105%	3,4	2331
300	302	220	105%	4,8	2332
300	392	110	105%	3,8	2341
300	392	220	105%	5,4	2342
300	392	165	105%	4,6	2343
300	605	110	105%	4,9	2361
300	605	220	105%	7,2	2362
300	784	110	105%	5,7	2371
300	784	220	105%	7,2	2372
470	302	110	105%	4,7	2431
470	302	220	105%	6,5	2432
470	392	110	105%	5,2	2441
470	392	220	105%	7,2	2442
470	392	165	105%	6,3	2443
470	605	110	105%	6,4	2461
470	605	220	105%	9,1	2462
470	784	110	105%	7,8	2471
470	784	220	105%	10,9	2472

Combine our drawers to a cabinet optimised to suit you and your business. A 3 mm thick foam (drawer foam insert) is included with each drawer.

Outer/Inner dimensions					
Depth		Width		Height	
>	<	>	<	>	<
300	271	302	255	110	83
470	442	392	345	165	138
		605	557	220	193
		784	736		

Payload 60 kg, uniformly distributed.



Top plates

Depth	Width	Height	Kg	Part.No
300	302	1	0,7	2533
300	392	1	0,9	2534
300	605	1	1,5	2536
470	302	1	1,1	2543
470	392	1	1,5	2544
470	605	1	2,3	2546

Support plinths

Depth	Width	Height	Kg	Part.No
300	302	55	0,7	2633
300	392	55	0,8	2634
300	605	55	1,1	2636
470	302	55	0,9	2643
470	392	55	1,0	2644
470	392	120	2,0	2645
470	605	55	1,1	2646

For 784 mm wide drawers use 2 pcs of 392 mm wide support plinths.




Drawer inserts

Depth	Width	Height	Kg	Part.No
300	127	70	0,2	3001
300	172	70	0,3	3003
470	127	70	0,4	3005
470	172	70	0,4	3007

Drawer inserts, complete with dividers.

Fitting guide

Drawer width	Inserts	Drawer width	Inserts
302 mm	127 mm, 2 pcs	605 mm	127 mm, 3 pcs + 172 mm, 1 pcs
392 mm	172 mm, 2 pcs	784 mm	127 mm, 3 pcs + 172 mm, 2 pcs




Drawer foam inserts

Fits in	Thickness	Part.No
2331 & 2332	3	5233
2341, 2342 & 2343	3	5234
2361 & 2362	3	5236
2371 & 2372	3	5237
2431 & 2432	3	5243
2441, 2442 & 2443	3	5244
2461 & 2462	3	5246
2471 & 2472	3	5247

So you can enjoy a quieter life, all our drawers come with foam inserts included. You can order these replacement foam inserts if required.



Extended drawers



Width	Depth	Height	⇌	Kg	Part.No
470	656	110	100%	7,0	3100
470	656	220	100%	9,0	3102
470	656	440	100%	11,0	3104
470	1056	110	90%	10,5	3106
470	1056	220	90%	13,0	3108
470	1056	440	90%	16,0	3110
470	1238	110	90%	12,5	3112
470	1238	220	90%	15,0	3114
470	1238	440	90%	18,0	3116
470	1420	220	80%	16,5	3120
470	1420	440	80%	20,0	3122
470	1630	220	75%	19,0	3126
470	1630	440	75%	22,5	3128
650	656	220	100%	10,5	3132
650	656	440	100%	12,5	3134
650	1056	220	90%	15,0	3142
650	1056	440	90%	18,0	3144
650	1238	220	90%	17,0	3148
650	1238	440	90%	20,5	3150
650	1420	220	80%	19,0	3154
650	1420	440	80%	23,0	3156
650	1630	220	75%	21,5	3160
650	1630	440	75%	25,5	3162




Outer/Inner dimensions					
Width		Depth		Height	
>	<	>	<	>	<
470	373	656	618	110	89
650	556	1056	1018	220	198
		1238	1200	440	415
		1420	1382		
		1630	1592		

Payload 100 kg, uniformly distributed.




Shelf for extended drawers

Depth	Width	Height	Rubber mat	Kg	Part.No
470	435	102	6950	2,6	1960
650	435	102	6951	3,3	1961



Dividers for extended drawers

Depth	Height	Kg	Part.No
470	220	0,6	2732
470	440	1,1	2733
650	220	0,9	2734
650	440	1,5	2735



Pegboard for extended sliding drawers


Width	Thickness	Height	Kg	Part.No
667	0,9	231	1,0	2179
1056	0,9	231	1,7	2183
1238	0,9	231	2,0	2184
1420	0,9	231	2,1	2180
1630	0,9	231	2,5	2181

Use 2 per side on 470 mm high shelf ladders.



Rubber mats for extended drawers

Measurement	Fits	Kg	Part.No
470 x 656	3100, 3102 & 3104	0,4	6941
470 x 1056	3106, 3108 & 3110	0,8	6942
470 x 1238	3112, 3114 & 3116	0,8	6944
470 x 1420	3120 & 3122	0,9	6945
470 x 1630	3126 & 3128	1,1	6946
650 x 656	3132 & 3134	0,6	6917
650 x 1056	3142 & 3144	0,9	6919
650 x 1238	3148 & 3150	1,0	6920
650 x 1420	3154 & 3156	1,2	6921
650 x 1630	3160 & 3162	1,4	6922





Locking bars

Description	Height	Kg	Part.No
Locking bar for drawers	160	0,6	4392
Locking bar for sliding shelves	440	1,1	4393

Make life difficult for thieves with our locking bars, which are mounted to a shelf frame.

Shelves




Depth	Width	Rubber mat	Kg	Part.No
300	302	6600	1,1	1600
300	392	6602	1,3	1602
300	605	6604	1,9	1604
300	694	6606	2,1	1606
300	784	6608	2,3	1608
300	907	6610	3,5	1610
300	997	6612	3,7	1612
300	1086	6614	4,0	1614
300	1176	6616	4,3	1616
300	1210	6618	4,4	1618
300	1299	6620	4,8	1620
300	1389	6622	5,0	1622
300	1512	6624	5,4	1624
300	1568	6626	5,6	1626
300	1960	6632	9,5	1632
400	605	6554	2,9	1504
400	784	6558	3,6	1508
400	907	6560	4,0	1510
400	997	6562	4,4	1512
400	1176	6566	5,1	1516
400	1389	6572	6,0	1522
400	1568	6576	6,8	1526
470	302	6700	1,5	1700
470	392	6702	1,8	1702
470	605	6704	3,4	1704
470	694	6706	3,8	1706
470	784	6708	4,2	1708
470	907	6710	4,8	1710
470	997	6712	5,2	1712
470	1086	6714	5,6	1714
470	1176	6716	6,1	1716
470	1210	6718	6,1	1718
470	1299	6720	6,5	1720
470	1389	6722	6,9	1722
470	1512	6724	7,5	1724
470	1568	6726	8,0	1726
470	1960	6730	13,0	1730
160	784	6800	1,5	1800
160	997	6802	1,9	1802
160	1176	6804	2,2	1804
160	1389	6805	2,6	1805
160	1568	6806	2,9	1806
160	1160-2120	6803	4,3	1810


Height 65 mm. 400 mm deep shelves should be mounted in 300 mm deep shelf frames.

Payload, uniformly distributed load:
Shelf width 300 - 1600 mm 70 kg.
Shelf width 1601 - 1960 mm 50 kg.
Adjustable shelves 30 kg.

Shelf dividers



Depth	Height	Information	Kg	Part.No
-	61	Brackets, per pair	-	2870
300	61		0,2	2871
400	61		0,2	2873
470	61		0,2	2872



Adjustable shelves with flipfront

Depth	Width	Rubber mat	Kg	Part.No
160	1830-3460	6807	9,3	1813
300	1830-3460	6640	13,5	1815



Ball bearing kit for shelves

Depth	Height	⇒	Kg	Part.No
313	74	105%	2,5	2860
483	74	105%	3,8	2862

Mount a shelf in a ball bearing kit to make it extendable. This allows you to have more shelves, with easy access, in your van racking.



Payload 40 kg uniformly distributed load.

Application guide

Racking width	Shelf width in ball bearing kit
392 mm	302 mm
694 mm	605 mm
784 mm	694 mm
997 mm	907 mm
1086 mm	997 mm
1176 mm	1086 mm
1299 mm	1210 mm
1389 mm	1299 mm



Shelf for cable reels

Depth	Width	Height	Kg	Part.No
300	784	114	3,0	1688
300	Extra divider	100	0,2	1689

One movable divider is included. Payload 30 kg uniformly distributed load.

Flexi shelf frame

Depth	Width	Height	Info.	Kg	Part.No
112	32	1788	2/set	11,8	1380
112	31	1788	1/set	4,9	1382

Flexi shelf support

Depth	Width	Height	Shelf width	Kg	Part.No
275	830	83	784	3,1	1308
275	1043	83	997	3,5	1312
275	1222	83	1176	3,9	1316
275	1435	83	1389	4,4	1322
275	1614	83	1568	4,8	

Flexi shelf bracket

Info.	Kg	Part.No
160 mm deep shelves, 2/set	0,6	1340
300, 400 & 470 mm deep shelves, 2/set	1,4	1342

Flexi gas damper

Info.	Kg	Part.No
2/set	0,1	1386


The shelf frames can be cut to fit your configuration. Loading capacity increases to 100 kg per shelf when mounted in a Flexirack. Shelves are adjustable to 4 pre-set angles on installation of 0, 4, 8 & 12 degrees.

Choose your shelves: 300, 400 and/or 470 mm depth. Our dropfront shelves will also fit, 300 and 470 mm depth. A shelf bracket will fit all different shelf depths.

Use the shelf bracket, 1340 & 1342, if you want to combine fixed and foldable shelves.




Dropfront shelves



Depth	Width	Rubber mat	Kg	Part.No
300	605	6604	2,6	3604
300	784	6608	3,2	3608
300	907	6610	3,5	3610
300	997	6612	4,0	3612
300	1176	6616	4,5	3616
470	605	6704	3,7	3704
470	784	6708	4,5	3708
470	907	6710	5,0	3710
470	997	6712	5,5	3712
470	1176	6716	6,3	3716

Payload 70 kg uniformly distributed load.

Drop fronts



Depth	Width	Height	Kg	Part.No
38	605	110	0,9	3804
38	605	220	1,5	3805
38	784	110	1,2	3808
38	784	220	1,9	3809
38	907	110	1,3	3810
38	907	220	2,0	3811
38	997	110	1,4	3812
38	997	220	2,3	3813
38	1176	110	1,7	3816
38	1176	220	2,7	3817
38	1210	220	2,5	3819
38	1389	220	2,8	3823
38	1568	220	3,1	3827

Supplied with fixing brackets.

Dividers for dropfront shelves




Depth	Height	Kg	Part.No
300	110	0,3	1990
300	220	0,5	1992
470	110	0,4	1994
470	220	0,8	1996





Plastic bin for shelves

Depth	Width	Height	Kg	Part.No
300	145	154	0,4	3050
300	235	154	0,5	3052
470	145	154	0,5	3055
470	235	154	0,5	3057




Transparent lid for plastic bins

Depth	Width	Fits	Kg	Part.No
300	150	3050	0,2	3060
300	240	3052	0,2	3062
470	150	3055	0,2	3065
470	240	3057	0,4	3067



Dividers for plastic bins

Width	Height	Fits	Part.No
140	154	3050 & 3055	3070
230	154	3052 & 3057	3072



Bracket for dropfront shelves

Depth	Kg	Part.No
300	0,1	3081
470	0,2	3082

No need for a front to your dropfront shelf when your bins are fixed with this bracket.



Fitting guide

Shelf width	Shelves		Dropfront shelves with front		Dropfront shelves without front	
	145 mm	235 mm	145 mm	235 mm	145 mm	235 mm
302 mm	2					
392 mm	1	1				
605 mm	4		2	1	4	
694 mm	3	1				
784 mm	2	2		3	2	2
907 mm	6		4	1	6	
997 mm	5	1	6		5	1
1086 mm	4	2				
1176 mm	3	3	4	2	3	3
1210 mm		5				
1299 mm	7	1				
1389 mm	6	2				
1512 mm	10					
1568 mm	4	4				
1960 mm	5	5				




Plastic bin bracket

Depth	Width	Height	To	Kg	Part.No
151	161	90	3050	0,5	3085
151	251	90	3052	0,7	3086



Payload 2,5 kg.





Assortment case

Depth	Width	Height	Kg	Part.No
297	354	82	1,6	6302

The case comes with a mix of inserts. Additional inserts can be purchased separately.

Case inserts

Depth	Width	Height	Part.No
40	77	68	6317
81	77	68	6318
163	77	68	6319

Will also fit pegboard tray 4360 and 4362, page 26.






Assortment case compartment

Depth	Width	Height	⇒	Kg	Part.No
300	392	110	100%	2,5	6300


With the assortment case compartment you can fit a case in a stack of drawers.



Assortment case holder

Depth	Width	Height	Kg	Part.No
300	392	110	1,7	6301


When installing in a drawer unit, at least one shelf frame must be used to obtain sufficient stability and crash safety.



Assortment case bracket

Depth	Kg	Part.No
300	0,5	6305
470	0,7	6306


Our portable assortment case can be mounted directly on the frame with 2 brackets.



Assortment case holder

Depth	Width	Height	Kg	Part.No
86	565	295	1,4	6307

This bracket is mainly designed to fit on to our shelf frames, you can rotate the holder to fit on racking with both 300 and 470 mm depths.




Assortment case/File holder

Depth	Width	Height	Kg	Part.No
304	383	299	4,4	6308

Up to four cases and a binder can be stored in the holder. Should be placed in a shelf.

Pegboards flanged edge



Depth	Thickness	Height	Kg	Part.No
150	20	1000	1,6	2178
300	20	670	2,1	2148
300	20	890	2,4	2150
300	20	1000	2,7	2152
300	20	1220	3,3	2154
392	20	890	3,0	2155
470	20	890	3,6	2156
470	20	1000	4,0	2158
470	20	1220	4,8	2160
500	20	1500	6,1	2162
700	20	900	5,2	2164
700	20	1250	6,7	2166
700	20	1480	8,3	2168
846	20	890	6,1	2163
Distance tube			-	3031



Sliding pegboard

Depth	Width	Height	↔	Kg	Part.No
230	1250	700	65%	23,5	T7800
230	1480	700	65%	15,1	T7801
230	1220	470	65%	11,6	T7803


The sliding pegboard is extendable in both directions. Payload 125 kg. Total height is set with the legs and upper brackets to suit the vehicle and your needs.



Sliding frame for racking

Depth	Width	Height	↔	Kg	Part.No
230	1250	700	65%	17,0	T7805

Total height is adjusted with the legs and the top brackets to fit your needs and space. Bracket T7806 is used to stabilise fitted racking, see picture above. The frame is extendable 2 ways. Payload 140 kg.





Kg	Part.No
0,5	T7806

Sliding platform chassis

Width	Length	⇄	Height	Kg	Part.No
350	950	87%	75	20,9	8570
350	1300	90%	75	28,1	8571
350	1450	91%	75	30,9	8572
350	1650	92%	75	34,5	8573
700	950	87%	75	26,2	8574
700	1300	90%	75	34,8	8575
700	1450	91%	75	37,5	8576
700	1650	92%	75	41,2	8577
1000	1450	91%	75	43,3	8580

300-chassis are extendable to 90 percent of their length.
Payload is 300 kgs evenly distributed.

NOTE! The platform is a chassis only – you design your own application.



Frame

Width	Height	Kg	Part.No
1680	110	6,3	8551

A set contains 3 rails and 2 corner brackets. You cut the rail to appropriate lengths.

Lashing ring rail

Length	Width	Height	Kg	Part.No
1680	42	18	9,4	5906

The rail is designed for use with Airline lashing rings. Comes in a set of 4 rails that you cut to appropriate lengths.

NOTE! You need to make holes in the plate to fix the lashing rings.





**We know how to create
mobile workplaces.**



Assortment case storage



Depth	Information	Kg	Part.No
300	Top shelf 446 mm	1,9	1686
470	Tool case shelf 392 mm	4,3	1690
300	Rail (Systainer)	0,4	2305
470	Rail (Essve)	1,6	2310
300	Rail (Essve mini)	1,1	2311
300	Tool case bracket DxWxH 309x446x110 mm	1,9	6309

Top shelf, 1686, is to be used with rail 2305 for simple storage of Systainer type tool cases.

Tool case shelf, 1690, will fit in a rack 470 mm deep and 392 mm wide. Similar tool cases will also fit, w x d 396 x 296 mm.

Rail 2310 is designed for Essve tool cases and fits in a rack 470 mm deep and 605 mm wide.

NOTE! We only sell our own tool case (6302).



Case support



Depth	Length	Height	Kg	Part.No
220	1568	195	2,0	2935
-	-	-	0,6	2936

Adjustable bracket ideal for fixing between shelf frames to secure tool cases, for example. Comes in 1568 mm length, can be cut to fit your configuration. Add an extra bracket (2936) for maximum flexibility, one is included.



Tool compartments



Depth	Width	Height	Kg	Part.No
300	1512	258	16,6	5034
300	1691	258	18,4	5035

Sturdy storage of heavy tools such as spades, crowbars etc.

File box



Depth	Width	Height	Kg	Part.No
373	197	385	6,7	2920

Gas bottle cabinet



Depth	Width	Height	Kg	Part.No
470	392	605	18,5	2918

Our gas bottle cabinet with sealed door, includes brackets for either 1 or 2 bottles, a removable shelf and vent pipe. The door can be hinged on the left or the right side.

Cabinets



2782

2784

2780

Depth	Width	Height	Kg	Part.No
470	392	770	19,5	2780
300	302	1155	12,8	2782
470	392	1155	18,7	2784

Left or right hinged door, as required.

2782 comes with two hooks, 2784 comes with two hooks and a rod.

Vice



Depth	Width	Height	Kg	Part.No
360	135	140	10,3	5004

The forged vice is complete with pipe jaw and turning plate.
Max opening 140 mm.

Vice Holders



Depth	Width	Height	⇒	Kg	Part.No
1110	170	195	600	9,4	5012
1110	170	80	600	8,9	5013

Plate measurement 170x158 mm. Cover 2950 is included (see below).


Extendable Vice Holder/Bench



Depth	Width	Height	⇒	Kg	Part.No
300	1003	73	700	5,5	2730
470	1003	73	700	6,2	2731


Can be turned for mounting on both right and left sides. The panel is made of fibreglass reinforced polypropylene. Fits between shelf frames from 784 mm and up.

Foldable Vice Holder/Bench



Description	Depth	Height	Kg	Part.No
Holder	-	-	4,2	2728
Shelf frame bracket	25	223	0,8	2725
Shelf frame bracket	25	223	1,2	2726

Panel of fibreglass reinforced polypropylene.




Accessories for Vice Holders



Description	Kg	Part.No
Cover, included in 5012 & 5013	1,1	2950
Adjustable support, 520 - 800 mm	1,9	2954

Adjustable support (2954) fits all of our vice holders.





Gas bottle holder adjustable

Depth	Width	Height	Tube Ø	Kg	Part.No
150	300	97	< 300	0,9	2910

Liquefied petroleum gas P6 (bottles with 320 mm Ø can be stored after modification).



Gas bottle holder single

Depth	Width	Height	Tube Ø	Kg	Part.No
70	300	200	< 300	0,8	2912

Liquefied petroleum gas P6, could also be used for storing refrigerant bottles.



Gas bottle holder double

Depth	Width	Height	Tube Ø	Kg	Part.No
95	300	200	145	1,3	2913

5 kg Acetylene & Oxygen tubes.



Gas bottle holder shelf

Depth	Width	Height	Kg	Part.No
300	306	500	6,3	2914

Liquefied petroleum gas P11 or 5 kg Acetylene & Oxygen. Bracket for two bottles is included.



Gas bottle holder wallmounted


Depth	Width	Height	Tub Ø	Kg	Part.No
300	450	820	205	5,8	2916

Acetylene & Oxygen (AGA A21 & O20 or equivalent).


Pegboard tray

Depth	Width	Height	Kg	Part.No
82	200	80	0,5	4360
62	100	64	0,1	4361
82	285	102	0,8	4362
122	455	122	1,5	4364
153	179	575	3,0	4370


A number of different trays that solve (almost) all storage problems. Our assortment case inserts, page 16, fit in 4360 and 4362, ideal for your small items that lack storage space.




4361




4360



4362



4364




4370

Hose/Cable rack

Depth	Width	Height	Kg	Part.No
79	267	168	0,5	4077
135	110	85	0,3	4080




4077



4080




File holders



4368



4359



6308

Depth	Width	Height	Kg	Part.No
21/31	65	79	-	4359
34/69	231	210	0,6	4368
304	383	299	4,4	6308

These items provide storage for binders, brochures, etc. In 6308, you can store a mix of our assortment case, page 16, and binders. These should be placed on a shelf. 4359 is suitable for your business cards.



Grab handle



Depth	Width	Height	Ø	Kg	Part.No
77	30	275	27	0,2	4390

The handled is mounted on a shelf frame or directly in your vehicle's chassis.

Work bench



Depth	Width	Thickness	Kg	Part.No
492	1300	30	6,4	6052
492	1700	30	8,3	6054
492	2100	30	10,1	6056

Screw anchor

7185

The panel is made of fibreglass reinforced polypropylene with a honey comb core for maximum strength. The bench comes with edging and screw anchor (not mounted).





Universal hook mini

Depth	Width	Height	Part.No
50	50	88	4355

Sold in a set of 2 pieces.



Universal hook

Depth	Width	Height	Part.No
85	80	100	4356

Sold separately.



Universal hook double

Depth	Width	Height	Part.No
61	83	55	4357

Sold separately.



Angled hook

Depth	Width	Height	Part.No
111	40	48	4340

Sold separately.



Clothes hook 300

Depth	Width	Height	Part.No
31	295	40	2706

Sold separately.



Clothes hook 470

Depth	Width	Height	Part.No
31	465	40	2708

Sold separately.



Power tool holder

Depth	Width	Height	Part.No
72	80	140	4380


Sold separately.



Battery holder

Depth	Width	Height	Part.No
63	91	103	4381

Sold separately.



Tool holder

Depth	Width	Height	Part.No
81	285	150	4375

Sold separately.



Tube holder

Depth	Width	Height	Part.No
90	286	150	4348

Sold separately.



Tube holder

Depth	Width	Height	Part.No
66	194	123	4349

Sold separately.



Spray can holder

Depth	Width	Height	Part.No
72	75	125	4351

Sold separately.



Can holder mini

Depth	Width	Height	Part.No
65	75	88	4352

Sold separately.



Can holder, plastic

Depth	Width	Height	Part.No
77	76	190	4358


Sold separately.



Clamping rack

Depth	Width	Height	Part.No
37	440	29	4354

Sold separately.



Tool holder kit

Parts	Part.No
10 + expander locks	F11004



Expander lock for pegboards

Part.No
5686

Sold separately.



Ring hook

Ø	Part.No
60	4314
80	4315

Sold in a set of 5 pieces.



Rubber clip

Ø	Part.No
25	4325
38	4326


Sold in a set of 5 pieces.



Document clip


Width	Part.No
60	4330

Sold in a set of 5 pieces.



Tool holder kit


Parts	Part.No
25	4319



Strap with brackets

Information	Width	Part.No
1200 mm, nylon strap	25	4365
1000 mm, elastic strap	25	4366

Brackets fit on our pegboards.



Lashing ring

Depth	Width	Height	Ø	Part.No
36	58	30	20	5902
46	32	30	20	5903

To be mounted on a shelf frame, designed to hold lighter loads in place.
Sold in a set of 2 pieces.



Nylon strap

Length	Width	Part.No
4000	30	5107

2-part with tensioner.



Nylon strap

Length	Width	Part.No
2520	25	5117

2-part with hooks.




Nylon strap

Length	Width	Part.No
2500	25	5118



5098



5099

Lashing ring

Part.No
5098
5099



5124



5122

5125

Rubber strap

Length	Part.No
-	5121
285	5122
By the meter	Whole package 10 m.
285	5125

Load securing kit



F11005



5170

Information

Strap kit with holder
Strap kit

Part.No

F11005
5170

First aid



F11007

Information

First aid kit with holder
First aid kit
Eye wash

Part.No

F11007
5075
5076



5075



5076

Paper dispenser




5084



5083



4070



4387

Information

Dispenser DxWxH 205x319x141 mm
Wet wipe dispenser holder
Magnetic bracket to 5084
Dispenser with paper
Paper to 5084

Part.No

4070
4387
5083
5084
5086

Magnetic brackets allow you to bring the holder with you.



Fire extinguisher

Information

2 kg, powder
4 kg, powder
6 kg, powder

Part.No

5055
5056
5057

Wall bracket is included.



Foldable holder for garbage bag

Depth Width Height

300	278	87
-----	-----	----

Part.No

4385



Water can

Information


Bracket
Water can 10 litres

Part.No

2976
2977

Bracket and can sold separately.

Airline rails




Length	Kg	Part.No
295	0,2	5951
465	0,2	5953
1000	0,8	5962
1500	1,2	5964
3000 > 6	2,5	5968
End piece for 5962, 5964 & 5968	-	5970

Airline lashing rings




Information	Kg	Part.No
Round aluminium	0,0	5900
Straight black plastic	0,1	5901

Airline brackets



Information	Kg	Part.No
Angle bracket 53x80x112 mm	0,2	2813
Support plinth bracket 175x66x15/32 mm	0,3	2814
Bracket for shelf frame	-	5904
Bracket for plywood	-	5905
T-nut 2xM6	-	5910
T-nut 3xM6	-	5911
Mounting bolt M8x25	-	5913
Clamp fitting	0,3	5915



Airline straps

Information	Length	Kg	Part.No
Strap kit	500/2500 x2	0,7	5172
Strap	200/ 700	0,1	5931
Strap	200/1200	0,1	5933
Strap	200/2200	0,2	5935
Strap with tensioner	500/2500	0,3	5940
Adjustable beam	1100-1660	2,6	5993
Adjustable beam	1600-2160	3,5	5996
Strap kit with holder	500/2500 x2	1,2	F11006



5931 - 5935



5940




5172



5993 & 5996



F11006





Pipe tube

Length	Width	Height	Kg	Part.No
3030	122	123	13,9	8469

Our proven pipe carrier can be opened at both ends with lockable end caps.



Internal ladder holder

Length	Kg	Part.No
2400	5,5	T8900


Our internal ladder holder allows you to store your ladder on the inside of the ceiling easily and pull it back to the rear door. The aluminium rail comes in two parts with a joining piece.



CarLock

Information	Part.No
1 lock	5489
2 locks	5490
3 locks	5491

An extra locking system for your cargo space to avoid unwelcome surprises. Can help discourage thieves completely. The system is mounted inside the van without being visible. Decals that show you have an extra lock mounted are included. The system consists of 1 to 3 corrosion-free pistol locks (one for each door), with a 17 mm stainless steel locking piston. You choose whether you want to lock with a remote-control key or have automatic locking when you leave the car. Class 3 approved by the Swedish Anti-Theft Association.





LED lighting

Description	Length	Watt	Part.No	€
12/24V, 30 diodes	500	7,2		5815
Lighting kit with 2 tubes		14,4		F8320
Lighting kit with 3 tubes		21,6		F8321
Lighting kit with 4 tubes		28,8		F8322
Lighting kit with 5 tubes		36,0		F8323
Lighting kit with 6 tubes		43,2		F8324

The set consists of tube 5067, cable, fuse and two rocker switches.



Pure sine wave inverter

Depth	Width	Height	Watt	Kg	Part.No
230	142	65	600	1,0	5450

Information;

- Input voltage: 12V
- Input voltage range: 10-15V
- Power consumption, unloaded: 0.5A
- Efficiency: >90%
- Output voltage: 230V, 50Hz
- True sine curve
- Built-in USB output: 5V, 0.5A



5204

Rubber mats

Depth	Width	Kg	Part.No
1400	*	5,6	5204
156	*	0,2	6599
298	*	0,4	6699
404	*	0,5	6399
468	*	0,8	6799


* = Sold by running meter. (Full roll is 10 meters)



Edström colours

Information	Part.No
Dark grey, spray can	9007
Light grey, spray can	9014
Edström green, spray can	9015





Angle brackets


Width	Measurement	Part.No
53	58 x 58	2801
53	58 x 112	2803
53	58 x 154	2805
53	58 x 209	2807
53	58 x 264	2808
53	80:87:80	2809
53	58:64:58	2811



Mounting brackets

Length	Measurement	Kg	Part.No
200	26 x 54	0,3	2081
295	50 x 30	0,3	2810
460	50 x 30	0,5	2812
2000	50 x 30 (5 pcs)	12,3	2816
1568	50 x 30	2,0	2817
1220		0,9	7388

2081 is designed for use with our shelf frames. For example, you can join two frames on top of each other.
7388 is a pole with the same profile as our shelf frames.



L-type support rail

Length	Measurement	Kg	Part.No
605	55 x 30	0,6	2818
694	55 x 30	0,7	2819
784	55 x 30	0,8	2820
907	55 x 30	0,9	2822
997	55 x 30	1,0	2824
1086	55 x 30	1,1	2825
1176	55 x 30	1,2	2826
1210	55 x 30	1,2	2827
1389	55 x 30	1,4	2828
1568	55 x 30	1,6	2829



Brackets

Depth	Height	Kg	Part.No
160		0,3	1840
300		0,5	1842
	260-410 mm	0,9	1844
	235-410 mm	0,6	2830



Cover plate sliding drawers

Depth	Height	Kg	Part.No
470	30	0,2	2088

Hide the gap that sometimes appear between the top drawer and shelf frame.

Installation kits



Information	Parts	Part.No
Mixed parts, size 1	146	5501
Mixed parts, size 2	238	5502
For Flexi system	22	5509
For vice and vice holder	57	5510
False floor installation kit	93	T5310

Threaded insert nut



Information	Pack	Part.No
Insert nut M6x9 mm	1000	7180
Insert nut M6x12 mm	1000	7181
Tool for insert nut		7182

Nuts & Bolts



M6

M8



5600

5620



5640

5642



7172

Ø	Length	Pack	Part.No
M6	10	1000	5600
M6	12	1000	5611
M6	16	500	5612
M6	20	500	5614
M6	25	500	5616
M6	30	500	5618
M6	35	500	5620
M6	50	100	5624
M6	Nut	1000	5640
M6	Washer Ø 22	200	5642
M6	Tee nut		7172
M8	16		7113
M8	20		7114
M8	30		7115
M8	35		7116
M8	40		7117
M8	50		7118
M8	60		7119
M8	Nut		7122
M8	Washer Ø 28		7123
M8	Tee nut		7173

Blind Rivet



5662

5672

Ø	Length	Pack	Part.No
4,8	10	Steel	5670
4,8	10	Alu	5672
4,8	14	Steel	5650
4,8	21	Steel	5652
4,8	30	Steel	5654
6,4	15	Steel	5660
6,4	18	Steel	5661
6,4	22	Steel	5662
6,4	30	Steel	5664
6,4	35	Steel	5665
6,4	40	Alu/Steel	5666

Index

Accessories for Vice Holders	24	Installation kits	37
Adjustable shelves with flipfront	11	Internal ladder holder	34
Airline brackets	32	Lashing ring	30
Airline lashing rings	32	Lashing ring rail	19
Airline rails	32	LED lighting	35
Airline straps	33	Load securing kit	31
Angle brackets	36	Locking bars	9
Angled hook	28	L-type support rail	36
Assortment case	16	Mounting brackets	36
Assortment case bracket	17	Nuts & Bolts	37
Assortment case compartment	17	Nylon strap	30
Assortment case/File holder	17	Paper dispenser	31
Assortment case holder	17	Pegboard for extended sliding drawers	9
Assortment case storage	22	Pegboards flanged edge	18
Ball bearing kit for shelves	11	Pegboards for shelf frame extensions	5
Battery holder	28	Pegboards plain sheet	5
Blind Rivet	37	Pegboard tray	26
Bracket for dropfront shelves	14	Pipe tube	34
Brackets	36	Plastic bin bracket	15
Cabinets	23	Plastic bin for shelves	14
Can holder	29	Power tool holder	28
CarLock	34	Pure sine wave inverter	35
Case inserts	16	Ring hook	29
Case support	23	Rubber clip	29
Clamping rack	29	Rubber mats	35
Clothes hook	28	Rubber mats for extended drawers	9
Cover plate sliding drawers	36	Rubber strap	30
Dividers for dropfront Shelves	13	Shelf dividers	10
Dividers for extended drawers	9	Shelf for cable reels	11
Dividers for plastic bins	14	Shelf for extended drawers	9
Document clip	29	Shelf frames	4
Drawer foam inserts	7	Shelves	10
Drawer inserts	7	Sliding frame for racking	18
Drawers	6	Sliding pegboard	18
Drop front system	13	Sliding platform chassis	19
Edström colours	35	Spray can holder	28
Expander lock for pegboards	29	Strap with brackets	30
Extendable Vice Holder/Bench	24	Support plinths	7
Extended drawers	8	Threaded insert nut	37
File box	23	Tool compartments	23
File holders	27	Tool holder	28
Fire extinguisher	31	Tool holder kit	29
First aid	31	Top plates	7
Flexi gas system	12	Transparent lid for plastic bins	14
Foldable holder for garbage bag	31	Tube holder	28
Foldable Vice Holder/Bench	24	Universal hook	28
Frame	19	Vice	24
Gas bottle cabinet	23	Vice Holders	24
Gas bottle holder	25	Water can	31
Grab handle	27	Work bench	27
Hose/Cable rack	26		

INFORMATION



GENERAL INFO

All kits include what you see in the drawing, as well as installation parts, rubber mats for all shelves and foam for drawers.

System Edström Bilinredningar AB is certified SS-EN ISO 9001:2015, ensuring our commitment to managerial quality and high accuracy in our deliveries.

All materials used by System Edström are 100% recyclable. We are also certified to SS-EN ISO 14001:2015.



REMEMBER

By choosing System Edström for your vehicle, you have taken the first and most important step to making your mobile workshop safe and functional. From here on, it is up to you how safe and functional your working place will be.

As the driver, you have full responsibility if you or anyone else is injured owing to poorly secured cargo. You are also responsible for ensuring that the racking is mounted in the safest way possible, whatever your choice of workshop, even when using professional, knowledgeable and experienced installers.

DO NOT exceed the maximum payload of the vehicle.




SECURITY

We crash test our racking continuously at RISE Research Institute of Sweden AB. The crash tests are carried out according to the standard INRS NS 286 which applies to van racking.

Other types of tests are also carried out at test institutes, for example shake tests that simulate several years of use on the road. We also carry out our own tensile and pressure tests, to check, for example, the strength of load securing products.

Find out more about our company and products at www.systemedstrom.com.



**Design your own
van racking.**




Scan this code for
price information.



WARRANTY



SAFETY



QUALITY

SYSTEM EDSTRÖM

SYSTEM EDSTRÖM BILINREDNINGAR AB
Raseborgsgatan 11
164 74 Kista
Sweden

Order +46 (0)10 102 95 00
Sales +46 (0)10 102 95 01
Switchboard +46 (0)8 590 920 20
E-mail info@edstrom.se

2024-02